

CARBOHYDRATE RESEARCH, VOL. 162 (1987)

AUTHOR INDEX

- BACIC, A., 85
 BAGGETT, N., 153
 BAJPAI, K. S., 271
 BRANDSTETTER, H. H., 1
 BROSSMER, R., 294
- CALLAGHAN, P. T., 33
 CHEANG KUAN LEE, 53
 CHIU, A. K. B., 316
 CHRISTIAN, R., 1
 CHŪJŌ, R., c4
 CHURMS, S. C., 85
 COHEN, P. B., 85
 COLONNA, P., 277
- DAS, A., 257
 DAX, K., 13
 DEROME, A. E., 227
 DIÁNEZ, M^a J., 181
 DU, J., 217
 DZIEDZIC, S. Z., 316
- ESCHENFELDER, V., 294
- FERMANDJIAN, S., 23
 FINCHER, G. B., 85
 FUENTES MOTA, J., 307
 FUJISHIMA, Y., 127, 247
 FUJITA, M., 127, 247
- GARCIA FERNANDEZ, J. M., 307
 GARCÍA-MARTÍN, M^a DE G., 181
 GASCH, C., 181
 GHOSH, R., 257
 GLÄNZER, B. I., 13
 GOLIĆ, L., 171
 GOMEZ MONTERREY, I. M., 307
 GÓMEZ-SÁNCHEZ, A., 181
 GOTTLIEB, H. E., 145
 GUPTA, D. S., 271
- HASEGAWA, A., 126, 247
 HERZIG, J., 145
 HOUGH, L., 316
- I'ANSON, K. J., 277
 INOUE, Y., c4
 ISHIDA, H., 127
- JANN, B., 271
- JANSSON, P.-E., 111
 JENNER, M. R., 199
- KALICHEVSKY, M. T., 277, 323
 KANTOCI, D., 227
 KEGLEVIĆ, D., 227
 KEINAN, E., 145
 KHAN, R., 199, 209, 298
 KHAYAT, E., 329
 KIEBOOM, A. P. G., 65
 KISO, M., 127, 247
 KOIKE, K., 237
 KOJIĆ-PRODIĆ, B., 171
 KONDO, Y., 159
 KONG, F., 167, 217
 KORYTNYK, W., 41
- LEFRANCIER, P., 23
 LELIEVRE, J., 33
 LEVEL, M., 23
 LEWIS, J. A., 33
 LINDBERG, B., 111
 LINDSETH, H., 199
 LINDQUIST, U., 111
 LJUNGBERG, J., 111
 LOGANATHAN, D., 117
 LÓPEZ CASTRO, A., 181
- MACHER, I., 79
 MAEJI, N. J., c4
 MILES, M. J., 277
 MORRIS, V. J., 277
 MUFTI, K. S., 199
- NAGARAJAN, M., 14f
 NAKAHARA, Y., 237
 NAKASHIMA, R., c1
 NIEMELÄ, K., 303
 NUDELMAN, A., 145
- OGAWA, T., 237
 OGAWA, Y., 127, 247
 OKANO, A., c1
 ORFORD, P. D., 277
 ORTIZ MELLET, M. C., 307
- PATEL G., 199, 209, 298
 PERLY, B., 23
 PETERS, J. A., 65
 POTTI, G. G., 41
 PRADERA ADRIAN, M. A., 307

RAO, M. V., 141
RICHARDSON, A. C., 316
RING, S. G., 277, 323
RUŽIĆ-TOROŠ, Ž., 171

SAIMOTO, H., c1
SCHULZ, G., 1, 13
SHANG, H., 217
SHARMA, M., 41
SHARMA, S. C., 271
SHIGEMASA, Y., c1
SIKDER, S. K., 257
SIMMONDS, R. J., 153
SIMMONS, O. D., 41
STEPHEN, A. M., 85
STERLING, J., 145
STRIBBLEHILL, P., 153
SUGIMOTO, M., 237
SUZUKI, Y., 95

TAKEO, K., 95
TANAKA, S., 127, 247
TOMIĆ, S., 171
TOUFEILI, I. A., 316
TRIVEDI, G. K., 117

VAN BEKKUM, H., 65
VAN DUIN, M., 65
VYPLEL, H., 13

WU, X., 167

ZBIRAL, E., 1

CARBOHYDRATE RESEARCH, VOL. 162 (1987)

SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-galactopyranosyl-threonine-containing peptides, the role of the *N*-acetyl group in determining the conformation of, c4
- 2-Acetamido-2,6-dideoxy-6-fluoro-D-galactose, synthesis of, 41
- N*-Acetyl group, the role of, in determining the conformation of 2-acetamido-2-deoxy-D-galactopyranosyl-threonine-containing peptides, c4
- Acetyl hypofluorite, reaction of pyranoid and furanoid glycals with, 13
- N*-Acetylneuraminic acid and epimers at C-7, C-8, and C-7,8, side-chain conformation of, 1
- Alkyl glycopyranosides and glycofuranosides of 2-amino-2-deoxy-D-glucose, synthesis of, 181
- 2-Amino-2-deoxy-D-glucose, phenacylthiourea and *N*-thiazolyl derivatives of, 307
- 2-Amino-2-deoxy-D-glucose, synthesis of alkyl glycopyranosides and glycofuranosides of, 181
- Amylopectin, a comparison of the size and shape of, with that of β -limit dextrin, using pulsed field-gradient nuclear magnetic resonance and analytical ultracentrifugation, 33
- Amylopectin, the gelation and crystallisation of, 277
- Amylose and amylopectin in aqueous solution, incompatibility of, 323
- Arabinogalactan-protein from *Lolium multiflorum*, fine structure of the, 85
- L-Arabinopyranoside, methyl α - and β -, partial tosylation of, 159
- Asymmetric reduction of ketones by using hydridoaluminate complexes of symmetrical, chiral, branched-chain alditol derivatives, 153
- Borate-polyhydroxycarboxylate systems, synergic coordination of calcium in, 65
- Branched-chain sucroses; synthesis and Wittig reaction of the 1'-aldehyde derivative of sucrose, 209
- Calcium, synergic coordination of, in borate-polyhydroxycarboxylate systems, 65
- Carbohydrate portion of the sialoglycopeptide isolated from the skin of the fish *Mastacembalus armatus*, structure of the, 257
- Cassia alata* seed, structure of a galactomannan from, 271
- Cerebrosides, total synthesis of, 237
- Chemistry and Function of Pectins (book review), c1
- Chlorodeoxysucrose, synthesis of an intensely sweet, and mechanism of 4'-chlorination of sucrose by sulphuryl chloride, 53
- Chromogenic substrate for sialidases, synthesis of *p*-nitrophenyl 5-acetamido-3,5-dideoxy- α -D-glycero-D-galacto-2-nonulopyranosidonic acid as a, 294
- Comparative ¹H-n.m.r. study of MurNAc-L-Ala-D-iGln (MDP) and its analogue murabutide: evidence for a structure involving two successive β -turns in MDP, 23
- Comparison of the size and shape of β -limit dextrin and amylopectin using pulsed field-gradient nuclear magnetic resonance and analytical ultracentrifugation, 33
- Convenient synthesis of 2-deoxy-2-[(*R*)-3-hydroxytetradecanamido]-3-*O*-[(*R*)-3-hydroxytetradecanoyl]- α -D-glucopyranose 1-phosphate (lipid X), 79
- Convenient synthetic route to the disaccharide repeating-unit of peptidoglycan, 227
- Crystal and molecular structures of substituted α -D-glucopyranosides, 171
- Crystallisation of amylopectin, the gelation and, 277
- Deacetylation of anomeric sugar acetates with tin alkoxides, selective, 145
- Degradation of xylan with alkali, the formation of 3-hydroxytetrahydrofuran-3-carboxylic acid by the, 303
- 2-Deoxy-2-[(*R*)-3-hydroxytetradecanamido]-3-*O*-[(*R*)-3-hydroxytetradecanoyl]- α -D-glucopyranose 1-phosphate (lipid X), a convenient synthesis of, 79
- Determination of the activity of sucrose phosphate synthase by measurement of the release of UDP by h.p.l.c., 329
- 2,7-Dioxabicyclo[4.1.0]heptanes, synthesis of substituted, 217
- Disaccharide repeating-unit of peptidoglycan, a convenient synthetic route to the, 227
- Epoxides of sucrose, synthesis of 4'-derivatives of sucrose by ring-opening reactions of, 199
- Fine structure of the arabinogalactan-protein from *Lolium multiflorum*, 85
- 6-Fluoro-D-galactose, 2-acetamido-2,6-dideoxy-, synthesis of, 41

- Formation of 3-hydroxytetrahydrofuran-3-carboxylic acid by the degradation of xylan with alkali, 303
- Formose reaction, formation of DL-glycero-tetrol in, C1
- Galactomannan from *Cassia alata* seed, structure of a, 271
- α -D-Galactopyranose, 1,2-anhydro-, 3,4,6-tri-O-benzyl- and 3,4,6-tri-O-(*p*-bromobenzyl)-, synthesis of, 217
- D-Galactose, 2-acetamido-2,6-dideoxy-6-fluoro, synthesis of, 41
- Gelation and crystallisation of amylopectin, 277
- β -D-Glucopyranosides, aryl, benzoyleated, synthesis of, 117
- α -D-Glucopyranosides, crystal and molecular structures of substituted, 171
- β -D-Glucopyranosyl substituted-cinnamates, synthesis of, 117
- D-Glucosamine, 4-O-phosphono-, optically active derivatives of, related to the nonreducing-sugar subunit of bacterial lipid A, synthesis of the, 127
- D-Glucosylation, phase-transfer-catalyzed, 117
- Glycols, reaction of acetyl hypofluorite with pyranoid and furanoid, 13
- DL-glycero-tetrol, formation in the formose reaction of, C1
- Hydridoaluminate complexes of symmetrical chiral branched-chain alditol derivatives, asymmetric reduction of ketones by using, 153
- 3-Hydroxytetrahydrofuran-3-carboxylic acid, the formation of, by the degradation of xylan with alkali, 303
- Improved synthesis of 2,3,4-tri-O-acetyl-1,6-anhydro- β -D-glucopyranose (levoglucosan triacetate), 141
- Incompatibility of amylose and amylopectin in aqueous solution, 323
- Kojitetraose and kojipentaose, synthesis of, 95
- Levoglucosan triacetate (2,3,4-tri-O-acetyl-1,6-anhydro- β -D-glucopyranose), an improved synthesis of, 141
- β -Limit dextrin, a comparison of the size and shape of, with that of amylopectin, using pulsed field-gradient nuclear magnetic resonance and analytical ultracentrifugation, 33
- Lipid A, bacterial, synthesis of the optically active 4-O-phosphono-D-glucosamine derivatives related to the nonreducing-sugar subunit of, 127
- Lipid A, bacterial, the nonreducing-sugar subunit analogs of, carrying the amide-bound (3*R*)-3-(acyloxy)tetradecanoyl group, synthesis of, 247
- Lipid X {2-deoxy-2-[(*R*)-3-hydroxytetradecan-amido]-3-O-[(*R*)-3-hydroxytetradecanoyl]- α -D-glucopyranose 1-phosphate}, a convenient synthesis of, 79
- Lolium multiflorum*, fine structure of the arabinogalactan-protein from, 85
- α -D-Mannopyranoside, methyl 4,6-di-O-benzyl-, selective benzylation and tosylation of, 167
- Measurement of the release of UDP by h.p.l.c., determination of the activity of sucrose, phosphate synthase by, 329
- 4-C-Methyl and 4-C-allyl derivatives of sucrose, synthesis of, 316
- 4'-C-Methyl-galacto-sucrose, synthesis of 4,1',6'-trichloro-4,1',4',6'-tetra-deoxy-, 298
- MurNAc-L-Ala-D-iGln (MDP) and its analogue murabutide, a comparative ^1H -n.m.r. study of, 23
- Neuraminic acid, N-acetyl-, and epimers at C-7, C-8, and C-7,8, side-chain conformation of, 1
- p*-Nitrophenyl 5-acetamido-3,5-dideoxy- α -D-glycero-D-galacto-2-nonulopyranosidonic acid, synthesis of, 294
- ^1H -N.m.r. study of MurNAc-L-Ala-D-iGln (MDP) and its analogue murabutide, a comparative, 23
- Oligosaccharides having (1 \rightarrow 2)- α -D-glucosidic linkages, synthesis of, 95
- Partial tosylation of methyl α - and β -L-arabinopyranoside, 159
- Peptidoglycan, a convenient synthetic route to the disaccharide repeating-unit of, 227
- Phase-transfer-catalyzed D-glucosylation: synthesis of benzoyleated aryl β -D-glucopyranosides and β -D-glucopyranosyl substituted-cinnamates, 117
- Phenacylthiourea and N-thiazolyl derivatives of 2-amino-2-deoxy-D-glucose, 307
- Polysaccharide from *Streptococcus pneumoniae* types 15B and 15C, structural studies of the capsular, 111
- Reaction of acetyl hypofluorite with pyranoid and furanoid glycols, 13
- Reduction of ketones by using hydridoaluminate complexes of symmetrical chiral branched-chain alditol derivatives, asymmetric, 153
- Ring-opening reactions of sucrose epoxides and synthesis of 4'-derivatives of sucrose, 199

- Role of the *N*-acetyl group in determining the conformation of 2-acetamido-2-deoxy-D-galactopyranosyl-threonine-containing peptides c4
- Selective benzylation and tosylation of methyl 4,6-di-*O*-benzyl- α -D-mannopyranoside, 167
- Selective deacetylation of anomeric sugar acetates with tin alkoxides, 145
- Sialic acid, side-chain conformation of, 1
- Sialoglycopeptide isolated from the skin of the fish *Mastacembalus armatus*, structure of the carbohydrate portion of the, 257
- Sphinganine, (2*S*, 3*R*, 4*E*)-1-*O*- β -D-galactopyranosyl-*N*-(2'*R* and 2'*S*)-2'-hydroxytetra-cosanoyl-, 237
- Streptococcus pneumoniae* types 15B and 15C, structural studies of the capsular polysaccharide from, 111
- Structural studies of the capsular polysaccharide from *Streptococcus pneumoniae* types 15B and 15C, 111
- Structure of a galactomannan from *Cassia alata* seed, 271
- Structures of substituted α -D-glucopyranosides, crystal and molecular, 171
- Structure of the carbohydrate portion of the sialoglycopeptide isolated from the skin of the fish *Mastacembalus armatus*, 257
- Sucrose epoxides, synthesis of 4'-derivatives of sucrose by ring-opening reactions of, 199
- Sucrose, mechanism of 4'-chlorination by sulphuryl chloride of, and synthesis of an intensely sweet chlorodeoxysucrose, 53
- Sucrose phosphate synthesis, determination of the activity of, by measurement of the release of UDP by h.p.l.c., 329
- Sucrose, synthesis and Wittig reaction of the 1'-aldehyde derivative of, 209
- Sucrose, synthesis of 4-*C*-methyl and 4-*C*-allyl derivatives of, 316
- Synergic coordination of calcium in borate-poly-hydroxycarboxylate systems, 65
- Synthesis and Wittig reaction of the 1'-aldehyde derivative of sucrose, 209
- Synthesis of alkyl glyco-pyranosides and -furanosides of 2-amino-2-deoxy-D-glucose and crystal structure of 2-deoxy-2-[(4,4-dimethyl-2,6-dioxycyclohexylidene)methyl]amino]- α -D-glucopyranose, 181
- Synthesis of an intensely sweet chlorodeoxysucrose: mechanism of 4'-chlorination of sucrose by sulphuryl chloride, 53
- Synthesis of kojitetraose and kojipentaose, 95
- Synthesis of 4-*C*-methyl and 4-*C*-allyl derivatives of sucrose, 316
- Synthesis of *p*-nitrophenyl 5-acetamido-3,5-di-deoxy- α -D-glycero-D-galacto-2-nonulopyranosidonic acid, a chromogenic substrate for sialidases, 294
- Synthesis of the nonreducing-sugar subunit analogs of bacterial lipid A carrying the amide-bound (3*R*)-3-(acyloxy)tetradecanoyl group, 247
- Synthesis of the optically active 4-*O*-phosphono-D-glucosamine derivatives related to the non-reducing-sugar subunit of bacterial lipid A, 127
- Synthesis of 2,3,4-tri-*O*-acetyl-1,6-anhydro- β -D-glucopyranose (levoglucosan triacetate), an improved, 141
- Synthesis of 4,1',6'-trichloro-4,1',4',6'-tetra-deoxy-4'-*C*-methyl-galacto-sucrose, 298
- N*-Thiazolyl and phenacylthiourea derivatives of 2-amino-2-deoxy-D-glucose, 307
- Tin alkoxides, selective deacetylation of anomeric sugar acetates with, 145
- Total synthesis of cerebroside (2*S*, 3*R*, 4*E*)-1-*O*- β -D-galactopyranosyl-*N*-(2'*R* and 2'*S*)-2'-hydroxytetra-cosanoylsphinganine, 237
- 4,1',6'-Trichloro-4,1',4',6'-tetra-deoxy-4'-*C*-methyl-galactose-sucrose, synthesis of, 298
- Vitamin B₁, formose reaction in the presence of, c1

